

Historic, Archive Document

**Do not assume content reflects current
scientific knowledge, policies, or practices.**

3477
34P
2

POULTRY

Slaughtered under Federal Inspection and
Used in Further Processing
November 1968

U. S. DEPT. OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY

MAR 27 1969

Release:
January 7, 1969
3:00 P.M. (EST)

CURRENT SERIAL RECORDS

Inspected Slaughter - A total of 968,672,000 pounds live weight (chickens, turkeys, and ducks) was inspected for slaughter during November under the Poultry Inspection Act carried on by the U.S.D.A. This was 21 percent less than the previous month and 8 percent less than November 1967.

The number of head and pounds (live weight) inspected by classes in November were: young chickens, 165,337,000 head, 595,624,000 pounds; mature chickens, 12,741,000 head, 59,401,000 pounds; fryer-roaster turkeys, 1,130,000 head, 10,644,000 pounds; young turkeys, 13,908,000 head, 297,586,000 pounds; old turkeys, 27,000 head, 490,000 pounds; and ducks, 765,000 head, 4,927,000 pounds.

Quantity Certified as Wholesome - Poultry certified as wholesome in November totaled 714,562,000 pounds ready-to-cook weight of which 467,169,000 pounds were chilled and 247,393,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 425,673,000 pounds; mature chickens, 38,061,000 pounds; fryer-roaster turkeys, 8,344,000 pounds; young turkeys, 236,891,000 pounds; old turkeys, 394,000 pounds; ducks, 3,524,000 pounds; and other poultry, 1,675,000 pounds.

Further Processing - Poultry inspected and used for further processing in November totaled 97,435,000 pounds ready-to-cook weight, compared with 96,490,000 pounds a year earlier. The quantity used in November 1968 consisted of 18,685,000 pounds of young chickens, 33,255,000 pounds of mature chickens, 38,922,000 pounds of turkeys, and 6,573,000 pounds of other poultry.

Cut-up and Packaged - Poultry cut-up and packaged in Federally inspected plants during November totaled 125,845,000 pounds ready-to-cook weight compared with 137,744,000 pounds a year earlier. The breakdown by classes consisted of 107,509,000 pounds of young chickens, 493,000 pounds of mature chickens, 17,643,000 pounds of turkeys and 200,000 pounds of other poultry.

Ante-mortem condemnations in November amounted to 2,470,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.27 percent; mature chickens, 0.64 percent; fryer-roaster turkeys, 0.13 percent; young turkeys, 0.14 percent; old turkeys, 0.34 percent; and ducks, 0.01 percent.

Post-mortem condemnations amounted to 28,260,000 pounds (NYD weight). Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 3.61 percent; mature chickens, 5.39 percent; fryer-roaster turkeys, 2.04 percent; young turkeys, 2.16 percent; old turkeys, 3.03 percent; and ducks, 1.43 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, NOVEMBER 1968 WITH COMPARISONS

NUMBER INSPECTED 3/	YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER- : ROASTERS	YOUNG : TURKEYS	OLD : TURKEYS	TOTAL : TURKEYS	DUCKS	OTHER : POULTRY	TOTAL
OCTOBER 1968	218,958	14,349	233,307	1,090	16,328	19	17,437	1,032	---	---
NOVEMBER 1967	172,456	15,739	188,195	1,960	15,572	25	17,557	709	---	---
NOVEMBER 1968	165,337	12,741	178,078	1,130	13,908	27	15,065	765	---	---
JAN.-NOV. 1967	2,152,205	156,532	2,308,737	13,739	87,163	1,971	102,873	9,595	---	---
JAN.-NOV. 1968	2,157,531	137,104	2,294,635	10,344	76,026	1,433	87,803	9,570	---	---
POUNDS INSPECTED 4/										
OCTOBER 1968	798,972	66,911	865,883	9,973	338,218	303	348,494	6,817	728	1,221,922
NOVEMBER 1967	627,243	70,202	697,445	18,281	331,171	475	349,927	4,550	2,226	1,054,148
NOVEMBER 1968	595,624	59,401	655,025	10,644	297,586	490	308,720	4,927	2,416	971,088
JAN.-NOV. 1967	7,624,659	727,656	8,352,315	122,483	1,710,778	37,792	1,871,053	60,880	5,643	10,289,891
JAN.-NOV. 1968	7,658,016	630,331	8,288,347	92,827	1,507,738	27,860	1,628,425	60,578	5,631	9,982,981
AVERAGE LIVEWEIGHTS/										
OCTOBER 1968	3.65	4.66	3.71	9.15	20.71	15.66	19.98	6.60	---	---
NOVEMBER 1967	3.64	4.46	3.71	9.33	21.27	19.00	19.93	6.42	---	---
NOVEMBER 1968	3.60	4.66	3.68	9.42	21.40	18.46	20.49	6.44	---	---
JAN.-NOV. 1967	3.54	4.65	3.62	8.91	19.63	19.17	18.19	6.34	---	---
JAN.-NOV. 1968	3.55	4.60	3.61	8.97	19.83	19.44	18.55	6.33	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS, AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

OCTOBER 1968, 2,489; NOVEMBER 1967, 2,179; AND NOVEMBER 1968, 2,384.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG Banded BREEDERS WAS:

OCTOBER 1968, 9; NOVEMBER 1967, 16; AND NOVEMBER 1968, 8.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), NOVEMBER 1968 WITH COMPARISONS 1/

	YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER- : ROASTERS	YOUNG : TURKEYS	OLD : TURKEYS	TOTAL : TURKEYS	DUCKS	OTHER : POULTRY	TOTAL
OCTOBER 1968	513,624	34,534	548,158	1,914	36,655	---	38,569	122	99	586,948
NOVEMBER 1967	58,424	8,878	67,302	5,773	232,628	243	238,644	4,766	377	311,089
NOVEMBER 1968	572,048	43,412	615,460	7,687	269,283	243	277,213	4,888	476	898,037
CHILLED	392,264	36,293	428,557	2,493	61,191	1	63,685	231	40	492,513
FROZEN	57,049	9,706	66,755	11,846	202,213	386	214,445	3,013	1,527	285,740
TOTAL	449,313	45,999	495,312	14,339	263,404	387	278,130	3,244	1,567	778,253
CHILLED	374,891	31,019	405,910	2,243	58,585	46	60,874	247	138	467,169
FROZEN	50,782	7,042	57,824	6,101	178,306	348	184,755	3,277	1,537	247,393
TOTAL	425,673	38,061	463,734	8,344	236,891	394	245,629	3,524	1,675	714,562
JANUARY-NOVEMBER 1967	4,873,463	363,674	5,237,137	22,263	234,297	3,203	259,763	1,468	178	5,498,540
JANUARY-NOVEMBER 1968	5,446,599	475,973	5,922,572	94,512	1,363,153	29,957	1,487,622	43,516	3,360	7,457,243
CHILLED	4,915,513	316,082	5,231,595	16,467	207,879	4,136	228,482	1,796	417	5,462,290
FROZEN	559,527	93,596	653,123	55,304	991,745	18,082	1,065,131	41,690	3,065	1,763,009
TOTAL	5,475,040	409,678	5,884,718	71,771	1,199,624	22,218	1,293,613	43,486	3,482	7,225,299

1/ 1,000 POUNDS

POULTRY SLAUGHTERS, January 1969

	YOUNG CHICKENS	MATURE CHICKENS	TOTAL CHICKENS	FRYER- ROASTERS	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER POULTRY	TOTAL
ANTE-MORTEM										
1,000 POUNDS (LIVEWEIGHT):										
NOVEMBER 1967:	1,517	394	1,911	32	535	---	567	1	1	2,480
NOVEMBER 1968:	1,634	384	2,018	15	431	2	448	1	3	2,470
JAN.-NOV. 1967:	21,960	4,437	26,397	271	3,344	85	3,700	7	8	30,112
JAN.-NOV. 1968:	25,477	4,522	29,999	200	2,825	84	3,109	13	13	33,134
PERCENT 1/										
NOVEMBER 1967:	.24	.56	.27	.18	.16	.07	.16	.02	.07	.20
NOVEMBER 1968:	.27	.64	.30	.13	.14	.34	.14	.01	.13	.25
POST-MORTEM										
1,000 LBS. (N.Y. DRESSED):										
NOVEMBER 1967:	21,579	3,207	24,786	352	6,893	8	7,253	64	11	32,114
NOVEMBER 1968:	19,317	2,865	22,182	196	5,792	13	6,001	64	13	28,260
JAN.-NOV. 1967:	270,761	29,587	300,348	2,051	32,406	1,040	35,497	724	37	336,606
JAN.-NOV. 1968:	248,094	27,397	275,491	1,651	28,866	736	31,253	668	42	307,454
PERCENT 2/										
NOVEMBER 1967:	3.83	5.10	3.96	2.14	2.32	1.87	2.31	1.56	.55	3.39
NOVEMBER 1968:	3.61	5.39	3.77	2.04	2.16	3.03	2.16	1.43	.59	3.24

11/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, NOVEMBER 1968 WITH COMPARISONS 1/

POUNDS USED	READY-TO-COOK	WEIGHT 3/	YOUNG CHICKENS		MATURE CHICKENS		TURKEYS		OTHER POULTRY		TOTAL POULTRY	
			: FURTHER :	: CUT UP :	: FURTHER :	: CUT UP :	: FURTHER :	: CUT UP :	: FURTHER :	: CUT UP :	: FURTHER :	: CUT UP :
1968	OCTOBER	22,558	130,805	35,476	481	44,602	14,122	7,194	99	109,830	145,507	
1967	NOVEMBER	28,815	126,763	30,622	483	31,146	10,420	5,907	78	96,490	137,744	
1968	NOVEMBER	18,685	107,509	33,255	493	38,922	17,643	6,573	200	97,435	125,845	
1967	JANUARY-NOVEMBER	204,916	1,181,141	318,937	7,076	295,063	103,553	73,146	1,066	892,062	1,292,836	
1968	JANUARY-NOVEMBER	226,109	1,273,515	347,169	6,162	346,785	122,186	65,401	1,360	996,464	1,403,223	
LBS.	CONDEMNED READY-TO-COOK	WEIGHT 3/										
1968	OCTOBER	103	1,158	63	---	35	---	26	---	227	1,168	
1967	NOVEMBER	52	660	296	---	33	---	5	---	386	696	
1968	NOVEMBER	74	650	49	---	24	---	19	---	166	666	
1967	JANUARY-NOVEMBER	701	5,186	531	---	230	---	162	---	1,624	5,543	
1968	JANUARY-NOVEMBER	881	10,564	856	---	289	---	431	---	2,457	11,748	

1/ POUNDS OF WHOLE CARCASS BIRDS CAN BE DERIVED BY SUBTRACTING THE SUM OF FURTHER PROCESSED AND CUT-UP FROM POUNDS CERTIFIED.

2/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".

3/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, NOVEMBER 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED		AVERAGE LIVEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
		1967	1968	1967	1968	1967	1968	1967	1968
		-THOUSANDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	
N. ATLANTIC	11,692	10,766	4,539	4.19	4.14	35,023	32,232	1,771	1,790
E. N. CENTRAL	1,707	1,954	8,114	4.20	4.15	5,228	5,981	132	177
W. N. CENTRAL	3,426	4,071	15,089	3.73	3.71	9,129	10,767	324	408
S. ATLANTIC	71,556	67,535	244,527	3.64	3.62	186,316	173,977	10,346	8,998
S. CENTRAL	80,360	77,577	270,541	3.53	3.49	203,692	193,669	8,637	7,586
WEST	3,715	3,434	12,814	3.75	3.73	9,925	9,047	369	358
U. S.	172,456	165,337	595,624	3.64	3.60	449,313	425,673	21,579	19,317
MAINE	4,724	4,378	18,433	4.35	4.21	14,910	13,448	629	873
PENNSYLVANIA	6,310	5,643	22,892	4.09	4.06	18,191	16,497	1,074	818
OHIO	24	18	125	7.26	6.95	130	91	5	4
INDIANA	649	726	2,694	3.82	3.71	1,816	1,998	31	51
WISCONSIN	1,021	1,177	5,057	4.33	4.29	3,208	3,717	94	114
MINNESOTA	647	721	2,824	4.07	3.92	1,974	2,109	40	53
MISSOURI	2,721	3,268	11,547	3.52	3.53	6,750	8,145	264	318
DELAWARE	7,079	5,994	22,938	3.86	3.83	19,542	16,242	1,303	788
MARYLAND	9,711	10,018	38,078	3.88	3.80	26,840	27,401	1,836	1,158
VIRGINIA	4,242	5,178	17,892	3.36	3.46	10,314	12,271	490	646
NORTH CAROLINA	18,460	16,657	62,317	3.67	3.74	48,609	44,659	2,013	1,968
SOUTH CAROLINA	1,996	1,921	6,518	3.55	3.39	5,090	4,573	257	302
GEORGIA	28,216	25,980	90,612	3.55	3.49	71,382	64,416	4,246	3,949
TENNESSEE	4,122	4,392	15,668	3.40	3.57	10,200	11,300	467	473
ALABAMA	19,885	17,288	61,420	3.69	3.55	52,827	43,723	2,147	2,217
MISSISSIPPI	13,125	13,519	47,615	3.53	3.52	33,863	34,558	1,183	976
ARKANSAS	26,466	25,594	86,003	3.43	3.36	64,586	61,280	2,676	2,233
LOUISIANA	3,591	3,912	14,097	3.63	3.60	9,232	10,110	496	380
TEXAS	11,018	10,753	38,551	3.49	3.59	27,414	27,544	1,393	1,155
WASHINGTON	767	871	3,287	3.83	3.77	2,085	2,311	68	84
CALIFORNIA	2,093	2,116	8,116	3.84	3.84	5,695	5,742	219	219

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, NOVEMBER 1968

REGION AND STATE	TUBER- CULOSIS	LEU- KOSIS	SEPTI- CEMIA	AIRSAC- CULITIS	SYNO- VITIS	TUMORS	BRUISES:		CADAVER:		CONTAM- INATION:		OVER- SCALD	OTHER	TOTAL
							NO.	NO.	NO.	NO.	NO.	NO.			
N. ATLANTIC	---	204,313	120,265	28,138	8,534	1,733	1,984	10,656	14,637	1,217	12,255	403,732			
E. N. CENTRAL	---	12,903	14,124	4,392	1,067	89	1,043	3,872	1,969	165	814	40,438			
W. N. CENTRAL	---	27,083	30,045	31,973	1,806	403	2,027	3,993	5,045	248	4,370	106,993			
S. ATLANTIC	---	1,567,954	411,925	228,115	17,840	6,367	27,059	70,177	141,387	12,504	65,695	2,549,023			
S. CENTRAL	---	740,415	480,620	439,696	96,326	8,057	33,543	81,804	113,176	10,599	70,574	2,074,810			
WEST	---	45,114	26,224	20,023	745	140	783	4,550	3,248	934	7,540	109,301			
U. S.	---	2,597,782	1,083,203	752,337	126,318	16,789	66,439	175,052	279,462	25,667	161,248	5,284,297			
MAINE	---	71,160	64,521	7,900	6,841	524	845	5,917	5,437	179	3,767	167,091			
PENNSYLVANIA	---	122,998	45,217	19,581	1,204	955	932	4,147	7,498	920	7,543	210,995			
OHIO	---	191	396	8	8	35	4	52	29	---	39	762			
INDIANA	---	4,551	4,272	2,224	542	15	562	2,442	510	49	24	15,191			
WISCONSIN	---	7,589	9,255	2,137	517	37	458	1,322	1,264	104	659	23,342			
MINNESOTA	---	1,751	5,207	974	46	29	134	543	1,587	11	3,076	13,358			
MISSOURI	---	23,165	22,587	30,942	1,758	261	1,877	3,447	3,378	231	1,293	88,939			
DELAWARE	---	142,239	32,952	32,764	1,757	415	1,072	4,398	7,582	489	5,175	228,843			
MARYLAND	---	223,328	50,956	30,392	1,490	828	1,726	8,948	11,446	2,534	3,558	335,206			
VIRGINIA	---	121,678	39,106	37,083	951	272	1,453	2,439	4,119	592	2,493	210,186			
NORTH CAROLINA	---	205,233	118,031	58,619	5,729	2,130	10,236	19,521	53,891	2,678	23,853	499,921			
SOUTH CAROLINA	---	65,432	11,729	12,155	222	164	1,090	3,701	3,483	241	576	98,793			
GEORGIA	---	776,338	147,723	46,610	7,237	2,430	11,221	29,707	59,845	5,967	28,180	1,115,358			
TENNESSEE	---	44,579	26,503	13,755	1,090	354	1,620	7,389	14,636	303	12,473	122,702			
ALABAMA	---	347,321	102,105	90,535	6,972	2,032	5,783	16,481	36,637	3,121	14,738	625,725			
MISSISSIPPI	---	89,077	28,825	71,675	3,843	1,514	4,824	8,645	13,114	1,882	14,177	237,576			
ARKANSAS	---	144,112	200,457	169,357	31,799	1,983	9,767	27,243	27,057	2,752	14,970	629,497			
LOUISIANA	---	14,136	36,209	23,343	14,138	461	2,393	3,398	3,691	639	2,665	101,073			
TEXAS	---	92,232	74,207	54,255	37,818	1,533	7,969	16,618	13,996	1,023	10,532	310,183			
WASHINGTON	---	4,123	5,427	5,605	413	55	301	1,507	415	48	3,900	21,794			
CALIFORNIA	---	30,037	16,574	11,978	330	84	420	1,309	2,154	703	1,888	65,477			

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, NOVEMBER 1967 AND 1968

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS	
	INSPECTED		INSPECTED		LIVEWEIGHT		CERTIFIED			
	1967	1968	1967	1968	1967	1968	1967	1968	1967	1968
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	
N. ATLANTIC	1,710	1,521	8,239	7,464	4.82	4.91	5,369	4,837	357	292
E. N. CENTRAL	1,566	1,508	6,522	6,492	4.16	4.31	4,181	4,076	342	260
W. N. CENTRAL	4,248	3,386	17,898	14,536	4.21	4.29	11,740	9,147	902	878
S. ATLANTIC	3,716	2,787	17,622	13,655	4.74	4.90	11,504	8,808	687	688
S. CENTRAL	3,142	2,268	14,451	11,905	4.60	5.25	9,762	7,874	618	530
WEST	1,357	1,271	5,470	5,349	4.03	4.21	3,443	3,319	301	217
U. S.	15,739	12,741	70,202	59,401	4.46	4.66	45,999	38,061	3,207	2,865
MAINE	278	195	1,726	1,272	6.20	6.53	1,195	900	72	47
NEW JERSEY	1,019	1,016	4,283	4,373	4.20	4.30	2,639	2,717	224	194
PENNSYLVANIA	113	86	681	572	6.02	6.66	458	389	24	19
OHIO	326	233	1,390	996	4.27	4.28	905	618	66	43
INDIANA	751	640	3,063	2,608	4.08	4.08	1,973	1,623	145	99
ILLINOIS	436	---	1,745	---	4.00	---	1,082	---	122	---
MINNESOTA	1,819	1,454	6,825	5,380	3.75	3.70	4,511	3,276	407	359
IOWA	317	---	1,258	---	3.97	---	818	---	52	---
MISSOURI	876	784	5,152	4,699	5.88	5.99	3,473	3,189	188	203
DELAWARE	---	16	---	116	---	7.24	---	82	---	4
MARYLAND	709	441	2,904	1,798	4.10	4.08	1,863	1,139	141	86
VIRGINIA	157	71	1,084	495	6.89	7.02	761	348	32	21
NORTH CAROLINA	426	313	2,713	2,145	6.36	6.86	1,850	1,456	95	86
GEORGIA	1,259	997	6,282	5,116	4.99	5.13	4,156	3,383	198	202
ALABAMA	102	100	761	760	7.46	7.62	533	527	34	34
MISSISSIPPI	1,813	1,394	7,241	6,694	3.99	4.80	4,942	4,395	301	270
ARKANSAS	317	281	2,135	2,033	6.74	7.23	1,501	1,416	73	89
LOUISIANA	56	66	353	432	6.34	6.55	241	296	13	18
TEXAS	563	369	2,491	1,676	4.43	4.55	1,573	1,031	151	106
WASHINGTON	129	121	540	485	4.20	4.03	341	307	21	21
CALIFORNIA	1,081	1,127	4,362	4,779	4.03	4.24	2,726	2,954	255	194

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, NOVEMBER 1968

REGION AND STATE	TUBER- :CULOSIS:	LEU- :KOSAS:	SEPTI- :CEMIA:	AIRSAC- :CULITIS:	SYNO- :VITIS:	TUMORS	BRUISES	CADAVER:	CONTAM- :INATION:	OVER- :SCALD:	OTHER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	7	2,643	33,516	29	492	23,439	703	2,072	4,133	136	2,333	69,503
E. N. CENTRAL	2,248	6,075	24,382	285	48	21,968	1,667	1,528	3,749	276	8,841	71,067
W. N. CENTRAL	27,014	9,578	69,865	1,656	304	62,028	6,712	8,344	19,672	669	39,642	245,484
S. ATLANTIC	76	6,681	65,662	577	1,917	32,817	2,193	6,047	21,579	466	17,692	155,707
S. CENTRAL	---	12,446	42,608	226	1,293	21,991	2,719	3,543	8,282	253	23,488	116,849
WEST	---	1,762	27,400	33	424	21,874	1,659	1,436	3,351	271	3,226	61,436
U. S.	29,345	39,185	263,433	2,806	4,478	184,117	15,653	22,970	60,766	2,071	95,222	720,046
MAINE	---	613	3,970	6	221	1,101	106	161	455	4	313	6,950
NEW JERSEY	---	1,360	25,879	12	74	17,641	437	1,642	3,106	51	1,528	51,730
PENNSYLVANIA	7	404	1,591	5	50	873	118	125	318	---	352	3,843
OHIO	201	1,839	1,575	7	11	2,743	182	167	1,189	17	2,588	10,519
INDIANA	165	1,180	11,626	82	32	11,270	982	858	1,549	200	1,304	29,248
MINNESOTA	11,054	2,223	24,467	309	111	29,636	1,708	2,209	8,957	210	33,195	114,079
MISSOURI	1,567	2,390	21,368	277	95	5,840	2,688	2,248	2,757	112	1,029	40,371
DELAWARE	---	102	290	9	118	22	1	9	16	---	9	576
MARYLAND	76	686	9,983	26	60	6,367	354	660	1,200	9	352	19,773
VIRGINIA	---	1,033	2,289	17	91	192	57	24	482	2	10	4,197
NORTH CAROLINA	---	896	6,635	123	408	2,302	304	279	2,451	81	1,834	15,313
GEORGIA	---	1,465	16,471	142	663	8,315	524	959	6,191	29	9,698	44,457
ALABAMA	---	845	2,400	5	36	200	28	96	1,101	5	130	4,846
MISSISSIPPI	---	651	21,463	60	492	17,627	2,055	2,508	4,859	202	14,267	64,184
ARKANSAS	---	942	7,283	77	233	350	122	356	1,087	28	517	10,995
LOUISIANA	---	226	1,778	1	210	377	70	112	153	---	190	3,117
TEXAS	---	9,644	8,273	74	314	3,241	398	391	614	17	8,054	31,020
WASHINGTON	---	140	2,125	---	4	439	121	148	539	24	1,085	4,625
CALIFORNIA	---	1,597	24,736	33	420	21,301	1,534	1,264	2,776	245	2,125	56,031

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, NOVEMBER 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS	
		(LIVEWEIGHT)		: INSPECTED		: (READY-TO-COOK WT.)		: POUNDS (NY)	
		1967	1968	1967	1968	1967	1968	1967	1968
		-THOUSANDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	
									-PERCENT-
N. ATLANTIC	484	9,479	9,433	19.58	20.42	7,468	7,457	147	1.73
E. N. CENTRAL	2,150	45,018	39,937	20.94	20.35	35,904	32,137	1,017	2.51
W. N. CENTRAL	4,698	100,742	90,485	21.44	21.56	80,265	72,184	2,438	2.69
S. ATLANTIC	1,806	36,204	39,828	20.05	19.97	28,576	30,777	757	2.33
S. CENTRAL	2,484	53,584	40,968	21.57	21.91	42,287	32,477	1,279	2.56
WEST	3,950	86,144	76,935	21.81	22.46	68,904	61,859	1,255	1.62
U. S.	15,572	331,171	297,586	21.27	21.40	263,404	236,891	6,893	2.32
PENNSYLVANIA	405	7,751	8,564	19.16	20.41	6,149	6,804	120	1.72
OHIO	774	16,221	14,744	20.96	20.02	12,897	11,786	398	2.74
INDIANA	674	14,134	9,320	20.97	20.17	11,247	7,474	349	2.75
WISCONSIN	505	10,538	11,041	20.87	20.06	8,457	9,006	171	1.80
MINNESOTA	1,808	37,239	41,266	20.59	20.50	29,705	32,746	676	2.02
IOWA	1,161	25,766	20,648	22.19	22.64	20,490	16,671	548	2.37
MISSOURI	1,118	24,458	20,421	21.88	22.33	19,359	16,238	795	3.62
NEBRASKA	307	7,095	3,761	23.09	23.40	5,709	3,046	270	4.24
KANSAS	135	2,802	2,423	20.76	21.76	2,258	1,934	108	4.29
VIRGINIA	576	11,570	12,822	20.08	20.01	8,940	9,877	276	2.66
NORTH CAROLINA	786	15,671	18,153	19.94	19.52	12,618	14,020	285	2.03
GEORGIA	22	455	---	20.49	---	364	---	6	---
ARKANSAS	1,107	24,383	19,123	22.02	22.30	19,096	15,154	598	2.73
TEXAS	757	19,027	16,072	21.19	21.23	15,185	12,810	414	2.43
COLORADO	412	8,902	8,107	21.62	22.70	6,979	6,596	128	1.60
UTAH	676	15,053	15,828	26.70	28.79	14,568	12,704	151	.93
CALIFORNIA	2,444	50,352	44,118	20.60	21.01	40,326	35,605	876	1.93

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, NOVEMBER 1968

REGION AND STATE	TUBER- CULOSIS:	LEU- KOSIS	SEPTI- CENIA	AIRSAC- CULITIS	SYND- VITIS	TUMORS	BRUISES	CADAVER:	CONTAM- INATION:	OVER- SCALD	OTHER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	193	2,773	1,527	163	6	51	176	358	9	11	5,267
E. N. CENTRAL	---	387	14,193	12,762	1,380	28	267	1,350	1,658	216	316	32,557
W. N. CENTRAL	1	145	42,499	26,285	2,710	107	1,194	2,084	5,120	775	1,294	82,214
S. ATLANTIC	---	183	18,340	43,271	3,603	91	684	1,390	4,262	114	1,017	72,955
S. CENTRAL	---	74	18,920	9,779	3,205	105	703	803	1,754	80	1,394	36,817
WEST	---	112	21,955	9,787	2,112	15	486	908	1,380	304	355	37,414
U. S.	1	1,094	118,680	103,411	13,173	352	3,385	6,711	14,532	1,498	4,387	267,224
PENNSYLVANIA	---	149	2,343	1,491	143	3	43	169	299	9	11	4,660
OHIO	---	15	4,062	3,631	170	12	108	449	824	63	203	9,537
INDIANA	---	49	3,387	5,665	488	7	33	152	370	26	7	10,184
WISCONSIN	---	263	4,281	2,985	692	9	109	611	377	41	54	9,422
MINNESOTA	1	100	19,845	15,021	702	43	409	1,144	3,161	492	359	41,277
IOWA	---	10	5,996	4,548	672	35	428	332	595	19	88	12,723
MISSOURI	---	33	11,803	4,673	1,229	8	297	536	930	155	825	20,489
NEBRASKA	---	---	2,033	1,057	60	14	27	24	108	5	21	3,349
KANSAS	---	---	738	520	10	---	13	24	218	101	1	1,625
VIRGINIA	---	74	7,920	10,140	288	8	277	389	972	2	2	20,072
NORTH CAROLINA	---	25	6,050	28,485	1,604	72	260	375	2,384	103	758	40,116
ARKANSAS	---	16	8,997	5,327	1,676	7	121	361	841	49	84	17,479
TEXAS	---	27	6,411	3,234	891	78	533	366	359	6	1,199	13,104
COLORADO	---	4	1,653	684	1	3	66	178	166	8	2	2,765
UTAH	---	21	3,379	792	300	1	94	220	331	22	4	5,164
CALIFORNIA	---	84	14,023	7,789	1,522	4	130	409	832	230	241	25,264

POULTRY SLAUGHTER, January 1969

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)	POST-MORTEM CONDEMNATIONS			
		INSPECTED (LIVEWEIGHT)	1967	1968	LIVEWEIGHT : INSPECTED/:		1967	1968	POUNDS (NYD)	PERCENT 2/
		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-		
		-THOUSANDS-								
N. ATLANTIC	8	23	79	231	9.38	10.04	179	4	4.87	1.92
E. N. CENTRAL	122	78	1,152	705	9.44	9.03	542	17	1.65	2.32
W. N. CENTRAL	1,359	810	12,827	7,709	9.44	9.52	10,161	261	2.26	1.88
S. ATLANTIC	304	162	2,797	1,516	9.20	9.37	2,114	43	1.71	2.83
S. CENTRAL	105	29	900	249	8.57	8.63	682	21	2.60	2.32
WEST	62	28	526	234	8.48	8.30	418	6	1.27	1.16
U. S.	1,960	1,130	18,281	10,644	9.33	9.42	14,339	352	2.14	2.04
OHIO	22	---	205	---	9.20	---	157	4	---	---
WISCONSIN	85	---	821	---	9.65	---	650	11	1.51	---
MINNESOTA	1,284	785	12,158	7,492	9.47	9.55	9,624	248	2.27	1.88
VIRGINIA	262	153	2,412	1,417	9.21	9.27	1,816	33	1.55	2.94
CALIFORNIA	42	15	368	121	8.80	8.21	291	5	1.63	.75

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, NOVEMBER 1968

REGION AND STATE	TUBER- CULOSIS:	LEU- KOSIS :	SEPTI- CEMIA :	AIRSAC- CULITIS :	SYNO- VITIS :	TUMORS :	BRUISES :	CADAVER :	CONTAM- INATION:	OVER- SCALD :	OTHER :	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	48	160	205	1	---	1	11	26	---	---	452
E. N. CENTRAL	---	391	573	151	11	2	47	116	143	24	42	1,500
W. N. CENTRAL	---	10	8,010	1,472	6	5	99	529	2,426	472	129	13,158
S. ATLANTIC	---	64	1,946	946	13	2	49	113	707	---	18	3,858
S. CENTRAL	---	---	212	265	13	---	75	3	73	1	11	653
WEST	---	---	246	20	2	---	17	12	13	1	---	311
U. S.	---	513	11,147	3,059	46	9	288	784	3,388	498	200	19,932
MINNESOTA	---	10	7,862	1,401	6	5	91	529	2,396	472	120	12,892
VIRGINIA	---	64	1,862	945	3	1	48	112	692	---	12	3,739
CALIFORNIA	---	---	54	18	2	---	4	4	2	---	---	84

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, NOVEMBER 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVWEIGHT)	AVERAGE LIVWEIGHT INSPECTED/	TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)	POST-MORTEM CONDEMNATIONS			
					1967		1968	
					1967	1968	1967	1968
					-1,000 POUNDS-		-1,000 POUNDS-	
					-POUNDS-		-PERCENT-	
N. ATLANTIC	4	1	42	19.00	19.92	---	---	---
E. N. CENTRAL	4	2	42	14.94	16.26	---	---	---
W. N. CENTRAL	5	5	68	19.63	19.27	---	---	---
S. ATLANTIC	8	4	166	173	19.37	20.97	---	---
S. CENTRAL	9	8	182	121	25.78	16.20	---	---
WEST	4	1	17	490	19.00	18.46	---	---
U. S.	25	27	475	77	---	16.26	---	---
MINNESOTA	3	5	---	---	---	---	---	---

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, NOVEMBER 1968

REGION AND STATE	TUBER- CULOSIS	LEU- KOSIS	SEPTI- CEMIA	ATRSAC- CULITIS	SYNO- VITIS	TUMORS	BRUISES: CADAVER: INATION: SCALD: OVER- : OTHER : TOTAL			
							NO.		NO.	
							NO.		NO.	
N. ATLANTIC	---	---	---	47	2	---	---	---	---	---
E. N. CENTRAL	---	59	---	43	---	---	---	---	---	---
W. N. CENTRAL	---	185	---	20	---	---	---	---	---	---
S. ATLANTIC	---	46	---	37	2	---	---	---	---	---
S. CENTRAL	---	50	---	69	9	---	---	---	---	---
WEST	---	2	---	---	---	---	---	---	---	---
U. S.	---	7	409	147	15	5	12	69	1	19
MINNESOTA	---	2	185	43	---	---	3	56	---	1

OFFICIAL BUSINESS



Definitions

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.